

**APPENDIX III**

Serial No.: 09/577,551

Docket No.: 53481US009

---

Amendment and Response filed March 4, 2002.

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant(s): Wayne K. DUNSHEE et al.	)	Group Art Unit: 1714
	)	
Serial No.: 09/577,551	)	Examiner: P. D. Niland
Confirmation No.: Unknown	)	
	)	
Filed: 24 May 2000	)	
	)	
For: ABRASION-RESISTANT INK COMPOSITIONS AND METHODS OF USE	)	

**AMENDMENT AND RESPONSE**

Assistant Commissioner for Patents  
Washington D.C. 20231

Dear Sir:

In response to the Office Action mailed 3 December 2001, please amend the above-identified application as follows:

**In the Claims**

Please cancel claims 14 and 15, and amend claims 11, 12, 16, 17, 22, 34, 37, 39, and 43. The amended claims are provided below in clean form. Per 37 C.F.R. §1.121, amended claims are also shown in Appendix A with notations to indicate changes made (for convenience, all pending claims, including those added hereby, are provided in Appendix A).

11. (AMENDED) A method for improving durability of an image on an elastomeric substrate comprising the step of:

coating an imagewise layer of a urethane polymer-containing ink composition onto an elastomeric substrate wherein the urethane polymer comprises a number average molecular weight in the noncross-linked form of about 1,500 to about 50,000.

12. (AMENDED) The method of Claim 11 wherein the urethane polymer-containing ink composition is a water-based composition comprising a dispersion of pigment.
16. (AMENDED) A method for printing an image on an elastomeric substrate comprising the step of:
- printing an image using at least one ink composition comprising a stable nonpolyethylene containing aqueous dispersion of pigment and particles of a urethane polymer.
17. (AMENDED) The method of Claim 16 further comprising the step of coating a layer of a urethane polymer-containing composition onto the elastomeric substrate before the printing step.
22. (AMENDED) The method of Claim 16 wherein at least one ink composition comprises a dispersion of white pigment.
34. (AMENDED) The method of Claim 16 wherein the elastomeric substrate is formed as a bandage.
37. (AMENDED) The method of Claim 34 wherein the elastomeric substrate is selected from a group consisting of polyurethane, elastomeric polyethylene, low density polyethylene and a nonwoven elastomeric web.
39. (AMENDED) A method for limiting abrasion of an ink on an elastomeric bandage comprising the steps of:
- applying at least one ink composition comprising a water-based dispersion of a urethane polymer to an elastomeric surface in an imagewise fashion.

**Amendment and Response**

Page 3 of 7

Serial No.: 09/577,551

Confirmation No.: Unknown

Filed: 24 May 2000

For: ABRASION-RESISTANT INK COMPOSITIONS AND METHODS OF USE

---

43. (AMENDED) The method of Claim 39 wherein the elastomeric substrate is selected from a group consisting of polyurethane, elastomeric polyethylene, low density polyethylene, and a nonwoven elastomeric web.

**Remarks**

The Office Action mailed 3 December 2001 has been received and reviewed.

Applicants respectfully draw the Examiner's attention to line 1 on page 2 and to the header on pages 2-4. There is no amendment dated 11/15/99 in the present application. The present application is a divisional of Serial No. 08/949,903, the divisional application filed May 24, 2000. In the divisional application, claims 1-10 and 46-48 were cancelled. Additionally, the header on pages 2-4 of the present Office Action indicate the Application/Control Number as 08/949903. This is the Serial Number of the parent application. The present Application/Control Number should be indicated as 09/577,551.

Claims 11, 12, 16, 17, 22, 34, 37, 39, and 43 having been amended, and claims 14 and 15 having been cancelled, the pending claims are claims 11-13, 16-45, and 49-52.

Claim 11 has been amended to recite a coating a polyurethane ink composition on an elastomeric substrate. Support for this claim is found in the specification at page 7, line 31, to page 8, line 3, page 8, lines 12-14, page 9, lines 16-17, and page 12, lines 26-28.

Claim 12 has been amended to recite a water-based polyurethane-containing ink composition. Support for this amendment is found in the specification at page 8, lines 12-14.

Claim 16 has been amended to recite an elastomeric substrate, and dependent claims 17, 34, 37, and 43 have been amended to provide proper antecedent basis. Claim 22 has been amended to correct a grammatical error.

Claim 39 has been amended to recite limiting abrasion of ink on an elastomeric bandage.

No new matter has been added as a result of these amendments.

Reconsideration and withdrawal of the rejections in view of the above amendments and the comments provided below are respectfully requested.

**The 35 U.S.C. §102 Rejection**

The Examiner rejected claims 11, 13, 15-21, 23, 24, 25-27, 30-33, and 39-43 under 35 U.S.C. §102(b) as being anticipated by Davey et al. (U.S. Patent No. 5,162,141). Claim 15 having been cancelled renders the rejection of this claim moot. Applicants respectfully traverse the rejection of claims 11, 13, 16-21, 23, 24, 25-27, 30-33, and 39-43.

The present invention is directed to methods of coating urethane polymer-containing ink compositions in an imagewise fashion onto an elastomeric substrate, preferably an elastomeric bandage. Preferably, the methods provide limited abrasion and/or improved durability of the ink composition applied in an imagewise fashion. The invention is also directed to an elastomeric bandage including a urethane polymer-containing ink composition applied thereon in an imagewise fashion.

The polymeric sheets of Davey et al., on the other hand, neither teach nor suggest an image applied to a substrate that includes a urethane polymer-containing ink composition. The ink compositions of Davey et al. include lithographic inks and electrographic toners (Davey et al., column 4, lines 17-19). The polyurethane compositions of Davey et al. are primers interposed between the polymeric sheet and an incompatible ink or which encapsulate the incompatible ink to bond the ink layer to the sheet (Davey et al. column 3, lines 19-24 and line 42).

Reconsideration and withdrawal of this rejection is respectfully requested.

**The 35 U.S.C. §103 Rejection**

The Examiner rejected claims 11-45 and 49-52 under 35 U.S.C. §103(a) as unpatentable over Davey et al. (U.S. Patent No. 5,162,141) in view of Hassell (U.S. Patent No. 4,334,530) and Miyamoto (European Patent No. 596 503). The cancellation of claims 14 and 15 renders the rejection of these claims moot. Applicants respectfully traverse the rejection of claims 11-13, 16-45, and 49-52.

The present invention recognizes that the integrity of an ink may be compromised when printing on an elastomeric surface (Specification, page 1, lines 23-25), and solves this problem with the disclosed method of applying urethane-polymer-containing ink compositions on an elastomeric substrate. While the substrates of Davey et al. do not specifically exclude elastomeric substrates, the specification and examples are drawn to use of the polyurethane primer compositions with rigid substrates intended for use as a decorative surface product for floors, walls, and furniture (Davey et al. column 3, lines 60-63 and Examples 1-4, columns 5-6). Davey et al. neither recognize nor solve the problem in the art solved by the present invention.

Further, there is no incentive for one skilled in the art to combine the teachings of Davey et al. with the teachings of either Hassell or EP 593 503 to provide Applicant's invention. Hassell provides an adhesive bandage with indicia printed thereon to indicate the direction the bandage should be peeled off for proper removal from flap-type wounds (Hassell, column 2, lines 9-13). The indicia are printed with "suitable inks" (Hassell, column 3, line 25). There is no incentive whatsoever for someone skilled in the art of applying inks to elastomeric substrates to look to art of surface products for floors, walls, and furniture, to obtain a urethane polymer-containing ink composition suitable for use on elastomeric surfaces, preferably elastomeric bandages. Furthermore, neither Hassell nor Davey et al. provide a method of coating an elastomeric substrate in an imagewise fashion with a urethane polymer-containing ink composition, as is provided by Applicants' invention.

Additionally, there is no incentive for one of skill in the art to combine the compositions of EP 593 503 with either Hassell and/or Davey et al. and reasonably expect that the methods and bandage of Applicants' present invention would be provided. EP 593 503 neither teach the application of urethane polymer-containing ink compositions on elastomeric substrates nor suggest that any of their polyurethane containing ink compositions could be successfully applied to an elastomeric substrate.

Applicants respectfully request reconsideration and withdrawal of the rejection.

**Amendment and Response**

Page 7 of 7

Serial No.: 09/577,551

Confirmation No.: Unknown

Filed: 24 May 2000

For: ABRASION-RESISTANT INK COMPOSITIONS AND METHODS OF USE

---

**Summary**

It is respectfully submitted that the pending claims 11-13, 16-45, and 49-52 are in condition for allowance and notification to that effect is respectfully requested. The Examiner is invited to contact Applicants' Representatives, at the below-listed telephone number, if it is believed that prosecution of this application may be assisted thereby.

Respectfully submitted for  
Wayne K. DUNSHEE et al.

By:

Muetting, Raasch & Gebhardt, P.A.

P.O. Box 581415

Minneapolis, MN 55458-1415

Phone: (612) 305-1220

Facsimile: (612) 305-1228

Customer Number 26813

March 4, 2002

Date

By:

Ann M. Muetting  
Ann M. Muetting

Reg. No. 33,977

Direct Dial (612)305-1217

---

**CERTIFICATE UNDER 37 CFR §1.8:**

The undersigned hereby certifies that this Facsimile Cover Sheet and the paper(s) as described hereinabove, are being transmitted by facsimile in accordance with 37 CFR §1.6(d) to the Patent and Trademark Office addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on this 4<sup>th</sup> day of March, 2002, at 6:30 pm (Central Time).

By:

Kathleen L. Franklip  
Name: Kathleen L. Franklip

---



**APPENDIX A - SPECIFICATION/CLAIM AMENDMENTS  
INCLUDING NOTATIONS TO INDICATE CHANGES MADE**

**Serial No.: 09/577,551**

**Docket No.: 53481US009 (formerly 53481USA1B.009)**

---

Amendments to the following are indicated by underlining what has been added and bracketing what has been deleted. Additionally, all amendments have been marked in bold typeface.

**In the Claims**

For convenience, all pending claims are shown below.

11. (AMENDED) A method for improving durability of an image on **[a flexible] an elastomeric** substrate comprising the step of:  
  
    coating **[a] an imagewise** layer of a urethane polymer-containing **ink** composition onto **[a flexible] an elastomeric** substrate **[suitable for printing an image]** wherein the urethane polymer comprises a number average molecular weight in the noncross-linked form of about 1,500 to about 50,000.
12. (AMENDED) The method of Claim 11 wherein the urethane polymer-containing **ink** composition is **[an ink] a water-based** composition comprising a dispersion of pigment.
13. The method of Claim 11 wherein the urethane polymer-containing compound further comprises a cross-linker to cross-link the urethane polymer.
14. (CANCEL)
15. (CANCEL)
16. (AMENDED) A method for printing an image on **[a flexible or] an** elastomeric substrate comprising the step of:  
  
    printing an image using at least one ink composition comprising a stable nonpolyethylene containing aqueous dispersion of pigment and particles of a urethane

polymer.

17. (AMENDED) The method of Claim 16 further comprising the step of coating a layer of a urethane polymer-containing composition onto the **[flexible or]** elastomeric substrate before the printing step.
18. The method of Claim 16 wherein the urethane polymer comprises a number average molecular weight in the noncross-linked form of about 1,500 to about 50,000.
19. The method of Claim 17 wherein the urethane polymer-containing compound of the coating step further comprises a cross-linker to cross-link the urethane polymer.
20. The method of Claim 16 wherein the ink composition further comprises a cross-linker to cross-link the urethane polymer.
21. The method of Claim 16 wherein the ink composition is provided in at least one layer of ink in the printed image.
22. (AMENDED) The method of Claim 16 wherein at least one **[of the]** ink composition comprises a dispersion of white pigment.
23. The method of Claim 16 wherein the at least one ink composition comprises at least one layer of ink in the image.
24. The method of Claim 16 wherein the at least one ink composition is in the last ink layer printed in the image.

25. A method for printing an image on an elastomeric substrate comprising the steps of:  
printing a first layer of ink onto an elastomeric substrate, the first layer of ink comprising a stable aqueous dispersion of pigment and particles of a urethane polymer;  
and  
printing an image over the first layer of ink wherein the last layer of ink, farthest from the substrate, comprises a stable aqueous dispersion of pigment and particles of a urethane polymer.
26. The method of Claim 25 wherein at least one layer of ink is printed using a nonaqueous-based ink.
27. The method of Claim 25 wherein the ink composition in the first layer of ink further comprises a cross-linker to cross-link the urethane polymer.
28. The method of Claim 25 wherein the first layer comprises an ink comprising a white pigment.
29. The method of Claim 25 wherein an opaque layer of white pigment is disposed between the first layer of ink and the image.
30. The method of Claim 25 wherein the image is printed with an ink composition comprising a stable aqueous dispersion of pigment and particles of a urethane polymer.
31. The method of Claim 25 wherein the last layer of ink, farthest from the substrate, further comprises a cross-linker to cross-link the urethane polymer.
32. The method of Claim 25 wherein the image is covered with a coating comprising a

backsize or sealer.

33. The method of Claim 25 wherein the sealer is a urethane polymer adhesive.
34. (AMENDED) The method of Claim 16 wherein the **[flexible or]** elastomeric substrate is formed as a bandage.
35. The method of Claim 34 wherein the bandage comprises the elastomeric substrate and an adsorbent pad.
36. The method of Claim 35 wherein the image is printed over the adsorbent pad.
37. (AMENDED) The method of Claim 34 wherein the **[flexible] elastomeric** substrate is selected from a group consisting of polyurethane, elastomeric polyethylene, low density polyethylene and a nonwoven elastomeric web.
38. The method of Claim 16 wherein the elastomeric substrate is formed as a balloon, label, sticker, elastomeric sheet, stretch band, temporary tattoo, or adhesive tape.
39. (AMENDED) A method for limiting abrasion of an ink on **[a flexible substrate] an elastomeric bandage** comprising the steps of:  
    applying **[a] at least one ink** composition comprising a water-based dispersion of a urethane polymer to **[a flexible] an elastomeric** surface[;  
    **printing an image over the composition using at least one ink composition]**  
    **in an imagewise fashion.**
40. The method of Claim 39 wherein the composition is an ink composition comprising a

stable aqueous dispersion of pigment and particles of a urethane polymer and a cross-linker to cross-link the urethane polymer.

41. The method of Claim 39 wherein the at least one ink composition of the printing step comprises a stable aqueous dispersion of pigment and particles of a urethane polymer and a cross-linker to cross-link the urethane polymer.
42. The method of Claim 39 wherein the printing step is selected from the group consisting of rotogravure printing, flexographic printing and offset printing.
43. (AMENDED) The method of Claim 39 wherein the **[flexible] elastomeric** substrate is selected from a group consisting of polyurethane, elastomeric polyethylene, low density polyethylene, and a nonwoven elastomeric web.
44. The method of Claim 39 wherein the composition comprises a water-based pigment.
45. The method of Claim 39 wherein the water-based pigment is a white pigment.
49. An elastomeric bandage comprising a printed image wherein the printed image is prepared from at least one ink composition comprising a stable aqueous dispersion of pigment and particles of a urethane polymer.
50. The elastomeric bandage of Claim 49 wherein the at least one ink composition further comprises a cross-linker to cross-link the urethane polymer.
51. The elastomeric bandage of Claim 49 wherein the bandage further comprises a pad.

**Amendment and Response – Appendix A**

Page A-6

Serial No.: 09/577,551

Confirmation No.: Unknown

Filed: 24 May 2000

For: ABRASION-RESISTANT INK COMPOSITIONS AND METHODS OF USE

---

52. The elastomeric bandage of Claim 51 wherein the image is printed over the pad.

TO:Auto-reply fax to 612 305 1228 COMPANY:

## Auto-Reply Facsimile Transmission



UNITED STATES  
PATENT AND  
TRADEMARK OFFICE

TO:

Fax Sender at 612 305 1228

Fax Information

Date Received:

3/4/02 7:54:02 PM [Eastern Standard Time]

Total Pages:

14 (including cover page)

**ADVISORY:** This is an automatically generated return receipt confirmation of the facsimile transmission received by the Office. Please check to make sure that the number of pages listed as received in Total Pages above matches what was intended to be sent. Applicants are advised to retain this receipt in the unlikely event that proof of this facsimile transmission is necessary. Applicants are also advised to use the certificate of facsimile transmission procedures set forth in 37 CFR 1.8(a) and (b), 37 CFR 1.6(f). Trademark Applicants, also see the Trademark Manual of Examining Procedure (TMEP) section 702.04 et seq.

Received  
Cover  
Page

=====&gt;

03/04/02 18:58 FAX 612 305 1228		MUETING AND RAASCH		0001	
Docket No. 53481US009 (formerly 53481USA1B.009)					
<b>IN THE UNITED STATES PATENT AND TRADEMARK OFFICE</b>					
Applicant(s): Wayne K. DUNSHEE et al.		Group Art Unit: 1714			
Serial No.: 09/577,551		Examiner: P. D. Niland			
Confirmation No.: Unknown					
Filed: 24 May 2000					
For: <b>ABRASION-RESISTANT INK COMPOSITIONS AND METHODS OF USE</b>					
<b>OFFICIAL FACSIMILE TRANSMISSION TO THE PTO</b>					
Assistant Commissioner for Patents		FAX NUMBER: 703/278-5808			
Attn: Examiner P. D. Niland		Total Pages (including cover page): 14			
Washington, D.C. 20231		Time: 6:50 pm (Central Time)			
		(Transmission must be complete by midnight eastern time.)			
The following papers are being transmitted to the Patent and Trademark Office by facsimile transmission:					
1) <b>AMENDMENT AND RESPONSE (13 pgs - including 6 pg APPENDIX A)</b>					
PLEASE CONSIDER THIS A PETITION FOR EXTENSION OF TIME FOR A SUFFICIENT NUMBER OF MONTHS TO ENTER THESE PAPERS AND PLEASE CHARGE ANY ADDITIONAL FEES OR CREDIT OVERPAYMENT TO DEPOSIT ACCOUNT NO. 13-4895.					
Mueiting, Raasch & Oebhardt, P.A. Customer Number: 26813					
26813 PATENT TRADEMARK OFFICE					
Date: <u>March 4, 2002</u>		By: <u>Ann M. Mueiting</u>			
AMM/kjm		Ann M. Mueiting Reg. No. 33,977 Direct Dial (612)305-1217			
<b>CERTIFICATE UNDER 37 C.F.R. 61.8:</b> The undersigned hereby certifies that this Facsimile Cover Sheet and the paper(s), as described hereinabove, are being transmitted by facsimile in accordance with 37 CFR 61.6(d) to the Patent and Trademark Office, addressed to Assistant Commissioner for Patents, Washington, D.C. 20231, on this <u>4<sup>th</sup></u> day of <u>MARCH</u> , 2002, at <u>6:50 pm</u> (Central Time).					
Date: <u>March 4, 2002</u>		Signature: <u>[Signature]</u> Name: <u>KATHLEEN L. FARRER</u>			
IF YOU DO NOT RECEIVE ALL PAGES, PLEASE CONTACT US AT (612)305-1220 (TTS) OR (612)305-1228 (FAX).					
Received from <612 305 1228> at 3/4/02 7:54:02 PM (Eastern Standard Time)					

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Wayne K. DUNSHEE et al. )  
Serial No.: 09/577,551 )  
Confirmation No.: Unknown )  
Filed: 24 May 2000 )

Group Art Unit: 1714

Examiner: P. D. Niland

For: ABRASION-RESISTANT INK COMPOSITIONS AND METHODS OF USE

OFFICIAL FACSIMILE TRANSMISSION TO THE PTO

Assistant Commissioner for Patents  
Attn: Examiner P.D. Niland  
Washington, D.C. 20231

FAX NUMBER: 703/308-5808 3899 703/872-9310  
Total Pages (including cover page): 14  
Time: 6:50 pm (Central Time)  
(Transmission must be complete by  
midnight eastern time.)

The following papers are being transmitted to the Patent and Trademark Office by facsimile transmission:

- 1) AMENDMENT AND RESPONSE (13 pgs - including 6 pg APPENDIX A)

PLEASE CONSIDER THIS A PETITION FOR EXTENSION OF TIME FOR A SUFFICIENT NUMBER OF MONTHS TO ENTER THESE PAPERS AND PLEASE CHARGE ANY ADDITIONAL FEES OR CREDIT OVERPAYMENT TO DEPOSIT ACCOUNT NO. 13-4895.

Mueting, Raasch & Gebhardt, P.A.

Customer Number: 26813



26813

PATENT TRADEMARK OFFICE

March 4, 2002

Date

By:

Ann M. Mueting

Ann M. Mueting

Reg. No. 33,977

Direct Dial (612)305-1217

AMM/kjm

**CERTIFICATE UNDER 37 C.F.R. §1.8:** The undersigned hereby certifies that this Facsimile Cover Sheet and the paper(s), as described hereinabove, are being transmitted by facsimile in accordance with 37 CFR §1.6(d) to the Patent and Trademark Office addressed to Assistant Commissioner for Patents, Washington, D.C. 20231, on this 4<sup>th</sup> day of MARCH, 2002, at 6:50 pm (Central Time).

March 4, 2002  
Date

Signature:

Name:

KATHLEEN L. FRANKLIN